

HMFB100 (Long Mic Stand with Fixed Boom)



Features:

- Strong, tip-resistant tripod base
- Scratch-resistant powder coat finish
- Die-cast leg housing for dependable base support
- Non-slip rubber feet
- Boom Length: 800mm
- Height: 1022mm 1727mm
- Threading: 5/8"

Packaging:

- Individual packing 1Pc
- Master carton packing 6Pcs

HMFB50 (Short Mic Stand with Fixed Boom)

Features:

- Metal die-cast housing
- Short height for hard-to-get-to spaces
- Non-slip rubber feet
- Strong, tip-resistant tripod base
- Boom Length: 610mm
- Height: 406mm 584mm
- Threading: 5/8"

Packaging:

- Individual packing 1Pc
- Master carton packing 6Pcs



STANDS

HMTB100 (Long Mic Stand with Telescopic Boom)



Features:

- Telescoping boom arm adjusts from
- 495mm to 875mm
- Strong, reliable tripod base
- Metal die-cast housing
- Non-slip rubber feet
- Strong, tip-resistant tripod base
- Stand Height: 1016mm 1727mm
- Boom Length: 495mm 875mm
- Threading: 5/8"

Packaging:

- Individual packing 1Pc
- Master carton packing 6Pcs

HMTB50 (Short Mic Stand with Telescopic Boom)

Features:

- Telescoping boom arm adjusts from 406mm to 584mm
- Metal die-cast housing
- Short height for hard-to-get-to spaces
- Non-slip rubber feet
- Strong, tip-resistant tripod base
- Boom Length: 419mm 737mm
- Height: 406mm 584mm
- Threading: 5/8"

Packaging:

- Individual packing 1Pc
- Master carton packing 6Pcs





2

HX001 (Single X Keyboard Stand)



Assembled single-braced X-style stand

3

STANDS

- Strong, sturdy steel design
- Five height positions
- Folds flat for simple storage and transport
- Rubber end caps keeps instrument scratch-free
- Height: 641mm 978mm
- Leg Depth: 476mm
- Arm Depth: 337mm
- Steel Tubing: 25mm
- Load Capacity: 45

Packaging:


- Individual packing 1Pc
- Master carton packing 6Pcs

HX002 (Double X Keyboard Stand)

Features:

- Double-braced for heavier keyboards
- Five height positions
- Easy-to-adjust pull-style knob locks stand in place
- Constructed from strong steel tubing
- Height: 648mm 965mm
- Leg Depth: 489mm
- Arm Depth: 400mm
- Steel Tubing: 25mm
- Load Capacity: 57 kg

- Individual packing 1Pc
- Master carton packing 6Pcs



HX003 (Single X Keyboard Stand)

Features:

Assembled single-braced X-style stand

STANDS

- Strong, sturdy steel design
- Five height positions adjusted by knob
- Folds flat for simple storage and transport
- Rubber end caps keeps instrument scratch-free
- Height: 641mm 978mm
- Leg Depth: 476mm
- Arm Depth: 337mm
- Steel Tubing: 25mm
- Load Capacity: 45

Packaging:


- Individual packing 1Pc
- Master carton packing 6Pcs

HX004 (Double X Keyboard Stand)

Features:

- Double-braced for heavier keyboards
- Five height positions adjusted by knob
- Constructed from strong steel tubing
- Height: 648mm 965mm
- Leg Depth: 489mm
- Arm Depth: 400mm
- Steel Tubing: 25mm
- Load Capacity: 57 kg

- Individual packing 1Pc
- Master carton packing 6Pcs



HMPS001 (Studio Monitor Stand)

Features:

 Height-adjustable stand for studio monitors

5

STANDS

- Locking pin ensures stable and accurate height positions
- Leveling floor spikes and rubber feet included
- Low-profile base can be easily positioned into tight spaces
- Platform Dimensions: 9" x 9" (229mm x 229mm)
- Base Dimensions: 17.25" x 17.25" x 17.25" (438mm x 438mm x 438mm)
- Weight Capacity: 25 Kgs per Stand

Packaging:


- Individual packing 1Pc
- Master carton packing 6Pcs

HMS65 (Microphone Stand)


Features:

- Strong, tip-resistant tripod base
- Scratch-resistant powder coat finish
- Nylon leg housing for dependable base support
- Non-slip rubber feet
- Boom Length: 800mm
- Height: 1000mm 1800mm
- Threading: 5/8"

- Individual packing 1Pc
- Master carton packing 6Pcs



UM01 (Music Sheet Stand)



Features:


• Compact, portable sheet music stand


6

STANDS

- Height-adjustable telescoping tripod stand
- Two telescoping tubes
- Angle-adjustable sheet music platform
- Two sheet music security arms to hold music in place
- Height : 640mm 1300 mm
- Book Plate Size : 465mm*230mm


- Individual packing 1Pc
- Master carton packing 6Pcs








US	051 (Speaker Tripod Stand)	65
	Features:	STANDS
	Packaging: •	
UMO	065 (Microphone Stand)	
Features: •		
		I
Packaging: •		HHWK
		X


-













SM01(Shock Mount)



Features:

- Rugged metal body.
- Die cast steel adaptor with 5/8" thread.

13

ACCESSORIES

- Fits any large diaphragm condenser microphone with screw system.
- Angle adjustment with lock into place.
- Black Color.

Packaging:

SM02(Shock Mount)


Features:

- Fits any large diaphragm condenser Mic 42-48mm in diameter.
- Rugged metal body.
- Die cast steel adaptor with 5/8" thread, 5/8" to 3/8" adapter included.
- Double elastic spring and protective EVA lining inside.
- Angle adjustment with lock into place.
- Black Color.

HAMK

Packaging:

•



REFLECTION SHIELD



Features:

• Reflection shield has a heavyduty aluminum plate to wrap the Foam.

15

ACCESSORIES

Packaging:

REFLECTION SHIELD PRO

Features:

- Polyester fiber
- Sound absorbing cotton
- Plastic plate
- Sanding Linen
 High impact ABS plastic/high-density open-cell acoustic foam
- Size: 450mmx305mmx185mm



Packaging:

•



16 PS01 (Pop Filter) Features: • POP Filter Diameter 6.25" Nylon Mess Diameter 5.90" ٠ **Dual Layer Micro Weave** • Nylon Mesh ACCESSORIES **Gooseneck Length 14**" • **C-Clam Mount Black Color** • Packaging: • PS02 (Pop Filter) Features: POP Filter Diameter 5.25" • Nylon Mess Diameter 4.65" • • **Dual Layer Micro Weave** Nylon Mesh Gooseneck Length 14" • C-Clam Mount • **Black Color** Packaging: PS03 (Pop Filter) Features: HAMK Packaging:

16 Channel ready-made snake cable with drum *Features:*



- All XLR Connections
- Sends: 16 XLR Male Connectors
- Returns: 4 XLR Female Connectors
- Well labeled on both ends
- Fantail is color coded and numerically labeled

17

- 100% individually shielded pairs
- Heavy Duty Steel Reel
- High quality XLR connectors on both ends
- One Year Warranty

24 Channel ready-made snake cable with drum

Features:

MODEL

HSD1604LU30

HSD1604LU50

- Snake Cable
- All XLR Connections
- Sends: 24 XLR Male Connectors
- Returns: 8 XLR Female Connectors
- Well labeled on both ends
- Fantail is color coded and numerically labeled

SIZE

30M

50M

- 100% individually shielded pairs
- Heavy Duty Steel Reel
- High quality XLR connectors on both ends
- One Year Warranty

MODEL	SIZE
HSD2408LU30	30M

50M

32 Channel ready-made snake cable with drum



MODEL	SIZE
HSD3208LU30	30M
HSD3208LU50	50M

Features:

- Snake Cable on a Reel
- All XLR Connections
- Sends: 32 XLR Male Connectors
- Returns: 8 XLR Female Connectors
- Well labeled on both ends
- Fantail is color coded and numerically labeled

HSD2408LU50

- 100% individually shielded pairs
- Heavy Duty Steel Reel
- High quality XLR connectors on both ends
- One Year Warranty

D	

CABLE

8 Channel XLR color coded ready-made snake cable



Features:

- Send: 8 XLR Male Connectors
- Returns: 4 XLR Female Connectors
- Heavy Duty Steel Stage Box with Handle
- Fantail and Stage Box are both clearly Numerically Labeled
- Fantail is color coded as well
- 100% Individually Shielded Pairs
- High Quality XLR connectors at both ends
- One Year Warranty

12 Channel XLR color coded ready-made snake cable

Features:

MODEL

HSS804LU15

HSS804LU30

- Send: 12 XLR Male Connectors
- Returns: 4 XLR Female Connectors
- Heavy Duty Steel Stage Box with Handle

SIZE

15M

30M

- Fantail and Stage Box are both clearly Numerically Labeled
- Fantail is color coded as well
- 100% Individually Shielded Pairs
- High Quality XLR connectors at both ends
- One Year Warranty

The

18

MODEL	SIZE
HSS1204LU15	15M
HSS1204LU30	30M

16 Channel XLR color coded ready-made snake cable



SIZE
15M
30M
50M

Features:

- Send: 16 XLR Male Connectors
- Returns: 4 XLR Female Connectors
- Heavy Duty Steel Stage Box with Handle
- Fantail and Stage Box are both clearly Numerically Labeled
- Fantail is color coded as well
- 100% Individually Shielded Pairs
- High Quality XLR connectors at both ends
- One Year Warranty

HAWK

CABLE

n

24 Channel XLR color coded ready-made snake cable



MODEL	SIZE
HSS2408LU30	30M
HSS2408LU50	50M

Features:

- Send: 24 XLR Male Connectors
- Returns: 8 XLR Female Connectors
- Heavy Duty Steel Stage Box with Handle
- Fantail and Stage Box are both clearly Numerically Labeled
- Fantail is color coded as well
- 100% Individually Shielded Pairs
- High Quality XLR connectors at both ends
- One Year Warranty

32 Channel XLR color coded ready-made snake cable

Features:

- Send: 32 XLR Male Connectors
- Returns: 8 XLR Female Connectors
- Heavy Duty Steel Stage Box with Handle
- Fantail and Stage Box are both clearly Numerically Labeled
- Fantail is color coded as well
- 100% Individually Shielded Pairs
- High Quality XLR connectors at both ends
- One Year Warranty



19

MODEL	SIZE
HSS3208LU30	30M
HSS3208LU50	50M

Snake cable 8XLR(F)+4TRS(F) returns 8XLR(M)+4TRS(M)



MODEL	SIZE
HSS84LU03	03M
HSS84LU05	05M


IDVXX


ABLES


	20
Snake cable 4XLR(F)+4TRS(F returns 4XLR(M)+4TRS(M)	
Contraction of the second seco	
MODEL SIZE	MODEL SIZE
HSS44LU03 03M	HSS88LU06 06M
HSS44LU05 05M	
8 Channel Multicore Snake Cable	12 Channel Multicore Snake Cable
Model No. Lengt HMSC08 100 M	
16 Channel Multicore Snake Cable	20 Channel Multicore Snake Cable
Model No.LengHMSC1633 MHMSC1650 MHMSC16100 M	tr. tr. HMSC20 33 Mtr. HMSC20 50 Mtr.
24 Channel Multicore Snake Cable	32 Channel Multicore Snake Cable
Model No. Leng HMSC24 33 M HMSC24 50 M HMSC24 100 M	tr. tr. tr. tr. tr.
	HMSC32 100 Mtr.

-












	SXFG	SXFP	
XLR	Male to XLR Female	XLR Male to XLR Female	
Model No.	Length	Model No. Length	
SXFG 010	10 FEET	SXFP 010 10 FEET	
SXFG 015	15 FEET	SXFP 015 15 FEET	
SXFG 016	16 FEET		
SXFG 020	20 FEET		
SXFG 033	33 FEET		
3.5MM TR	STXF S MALE TO XLR FEMALE	SMSS 1/4" TRS MALE TO 1/4" TRS MALE	
	8		CABLES
Model No.	Length	Model No. Length	
STXF 010	10 FEET	SMSS 010 10 FEET	
STXF 020	20 FEET	SMSS 015 15 FEET	
STXF 033	33 FEET	SMSS 020 20 FEET	
1/4" TRS N	SMSG /ALE TO 1/4" TRS MALE	SMPS 1/4 TS MALE TO 1/4 TS MALE	
		Model No. Length	
Model No.	Length	SMPS 010 10 FEET	
Model No. SMSG 005	Length 05 FEET	SMPS 010 10 FEET SMPS 015 15 FEET	
		SMPS 010 10 FEET	













3





www.trimacppl.com

info@trimacppl.com